

DECIMAL AND MILLIMETER EQUIVALENTS

FRACTION	DECIMAL	MM	FRACTION	DECIMAL	MM
1/64	.0156	0.397	33/64	.5156	13.097
1/32	.0312	0.794	17/32	.5312	13.494
3/64	.0468	1.191	35/64	.5469	13.890
1/16	.0625	1.587	9/16	.5625	14.287
5/64	.0781	1.984	37/64	.5781	14.684
3/32	0.937	2.381	19/32	.5937	15.081
7/64	.1094	2.778	39/64	.6094	15.478
1/8	.1250	3.175	5/8	.6250	15.875
9/64	.1406	3.572	41/64	.6406	16.272
5/32	.1562	3.969	21/32	.6562	16.669
11/64	.1719	4.366	43/64	.6719	17.065
3/16	.1875	4.762	11/16	.6875	17.462
13/64	.2031	5.159	45/64	.7031	17.859
7/32	.2187	5.556	23/32	.7187	18.256
15/64	.2344	5.953	47/64	.7344	18.653
1 / 4	.2500	6.350	3 / 4	.7500	19.050
17/64	.2656	6.747	49/64	.7656	19.447
9/32	.2812	7.144	25/32	.7812	19.844
19/64	.2969	7.541	51/64	.7969	20.240
5/16	.3125	7.937	13/16	.8125	20.637
21/64	.3281	8.334	53/64	.8281	21.034
11/32	.3437	8.731	27/32	.8437	21.431
23/64	.3594	9.128	55/64	.8594	21.828
3/8	.3750	9.525	7/8	.8750	22.225
25/64	.3906	9.922	57/64	.8906	22.622
13/32	.4062	10.3190	29/32	.9062	23.019
27/64	.4219	10.7160	59/64	.9219	23.415
7/16	.4375	11.1130	15/16	.9375	23.812
29/64	.4531	11.5090	61/64	.9531	24.209
15/32	.4687	11.9060	31/32	.9687	24.604
31/64	.4844	12.3030	63/64	.9843	25.003
1 / 2	.5000	12.7000	1	1.00000	25.40

Data contained in this publication are typical of the products and properties described, but are not suitable for specifications.
 OXFORD ALLOYS is a registered trademark of Oxford Alloys, Inc.